

<b>Notice of Allowability</b>	Application No.	Applicant(s)	
	09/807,471	KANGAS ET AL.	
	Examiner	Art Unit	
	Christopher P. Grey	2667	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1.  This communication is responsive to amendment filed on May 26, 2005.
2.  The allowed claim(s) is/are 1-24.
3.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a)  All
  - b)  Some\*
  - c)  None
 of the:
  1.  Certified copies of the priority documents have been received.
  2.  Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4.  A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5.  CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a)  including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1)  hereto or 2)  to Paper No./Mail Date \_\_\_\_\_.
  - (b)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6.  DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s):**

1.  Notice of References Cited (PTO-892)
2.  Notice of Draftsperson's Patent Drawing Review (PTO-948)
3.  Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4.  Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5.  Notice of Informal Patent Application (PTO-152)
6.  Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_
7.  Examiner's Amendment/Comment
8.  Examiner's Statement of Reasons for Allowance
9.  Other \_\_\_\_\_

**DETAILED ACTION**

***Response to Amendment***

1. Responsive to the amendment filed on May 26, 2005, claims 1, 3, 4, 5, 6, 7, 8, 9, 11, 14, 15, 19, 20, 21, 22 have been entered as requested.

The new claim 24 has been entered as requested.

***Allowable Subject Matter***

2. Claims 1-24 are allowed.
3. The following is a statement of reasons for the indication of allowable subject matter:

Claims 1, 11, 15 and 19 are allowable over the prior art of record since the cited references taken individually or in combination fails to particularly disclose monitoring the event of a difference in the capacity of a first and second connection part, defining the extent of the detected event, and checking whether the extent of the detected event fulfills a predetermined condition. If the condition is fulfilled, the capacity allowed for the first connection part is adjusted so that the difference between capacities of the first and connection part decreases.

It is noted that the closest prior art, Oomuru discloses a monitoring means for monitoring the bandwidth from a first and second terminal, an analyzing means for determining a common bandwidth, a comparing unit comparing the determined bandwidth to a threshold, and a bandwidth changing means for changing the bandwidth

when a threshold is exceeded. However, Oomuru fails to disclose or render obvious the above underlined limitations as claimed.

***Conclusion***

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
  - (a) Kobayashi (US 5978380) discloses a traffic detecting means for monitoring a channel capacity and a channel capacity change determining means.

Art Unit: 2667

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher P. Grey whose telephone number is (571)272-3160. The examiner can normally be reached on 6:30-3:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chi Pham can be reached on (571)272-3179. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Christopher Grey  
Examiner  
Art Unit 2667

*C. Grey*  
Sept 17, 2005

*Chi Pham*  
CHI PHAM  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2600  
9/19/05